

# HotSeat Chassis

## Log Book




Instructions for Installing your HotSeat Flight Sim Tables

Thank you for your purchase of the **HotSeat Flight Sim**. The following instructions will aid in the successful installation of the table.

Once you have unpacked the **HotSeat Flight Sim** and all of its components, rotate the Seat upright and secure it with the Clevis pins, as shown below.



Position the table with the mounting plate first (this is the smaller table with the hole patterns). This table will mount the Yoke. Once the desired height is achieved, tighten the screws with the Allen Wrench provided.



Securely fasten one end of the Figure 8 Clamp on the vertical bar of the table assembled in the previous step.



***Crafted with Pride in the U.S.A.***

Instructions for Installing your HotSeat Flight Sim Tables (cont.)

Loosen the other C-Clamp to accept the Keyboard/Mouse Table.



Place the Keyboard/Mouse Table in the clamp. Once the desired angle and height are achieved, tighten the screws with the Allen Wrench provided.



Fasten the yoke on the mounting plate with the screws provided and place the Keyboard and mouse on the larger table.



For additional help with your installation, please call 860-582-5031 x 0, during normal business hours.

**Enjoy your HotSeat Chassis!!!**

***Crafted with Pride in the U.S.A.***

111 NAPCO DRIVE, TERRYVILLE, CT 06786 TOLL FREE 1-877-GAME TRX (1-877-426-3879)

[www.HOTSEATINC.com](http://www.HOTSEATINC.com)